

RECEIVED
CENTRAL FAX CENTER

JUN 02 2006

SCHWEGMAN ■ LUNDBERG ■ WOESSNER ■ KLUTH

PATENT, TRADEMARK & COPYRIGHT ATTORNEYS

P.O. Box 2938

Minneapolis, MN 55402

Telephone (612) 373-6900

Facsimile (612) 339-3061

June 2, 2006

TO: Commissioner for Patents
Patent Examining Corps
Facsimile Center
P.O. Box 1450
Alexandria, VA 22313-1450

FROM: Joseph P. Mehrle
OUR REF: 1749.001US2

TELEPHONE: 571-272-1243

FAX NUMBER (571) 273-8300

Document(s) Transmitted: Request for Withdrawal as Attorney or Agent (1 pg.).

Total pages of this transmission, including cover letter: 2 pgs.

If you do NOT receive all of the pages described above, please telephone us at 612-373-6900 or fax us at 612-339-3061.

In re. Patent Application of: Larry L. Lough

Examiner: Scott R. Kastler

Serial No.: 10/691,158

Group Art Unit: 1742

Filed: October 22, 2003

Docket No.: 1749.001US2

Title: METHOD AND SYSTEM FOR EXTRACTING METAL FROM GLASS WASTE

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Melissa Schoenberger
Melissa Schoenberger

June 2, 2006
Date of Transmission

RECEIVED
CENTRAL FAX CENTER

JUN 02 2006

PTO/SB/83 (01-08)

Approved for use through 12/31/2008. OMB 0651-0035
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**REQUEST FOR WITHDRAWAL
AS ATTORNEY OR AGENT
AND CHANGE OF
CORRESPONDENCE ADDRESS**

Application Number	10/691,158
Filing Date	Oct 22, 2003
First Named Inventor	Larry Lee Lough
Art Unit	1742
Examiner Name	Scott R. Kastler
Attorney Docket Number	1749.001US2

To: Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Please withdraw me as attorney or agent for the above identified patent application, and

- ☒ all the attorneys/agents of record.
☐ the attorneys/agents (with registration numbers) listed on the attached paper(s), or
☒ the attorneys/agents associated with Customer Number

NOTE: This box can only be checked when the power of attorney of record in the application is to all the practitioners associated with a customer number.

The reasons for this request are: Assignee/client has requested this file be transferred to another attorney for future prosecution.

CORRESPONDENCE ADDRESS

1. ☐ The correspondence address is NOT affected by this withdrawal.
2. ☒ Change the correspondence address and direct all future correspondence to:
☐ The address associated with Customer Number:

OR

<input checked="" type="checkbox"/> Firm or Individual Name	Tri E Holding, LLC		
Address	86 Security Drive		
City	Fairfield	State	OH Zip 45014
Country	USA		
Telephone	Email johng@tsce.com		
Signature			
Name	Joseph P. Mehrl	Registration No.	45,535
Date	05/17/06	Telephone No.	(612) 373-6900

NOTE: Withdrawal is effective when approved rather than when received. Unless there are at least 30 days between approval of withdrawal and the expiration date of a time period for response or possible extension period, the request to withdraw is normally disapproved.

This collection of information is required by 37 CFR 1.38. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.